

॥यतो धर्मस्ततो जयः॥



___FRP

CABLE TRAY_



ABOUT US

Artical Industries is a leading manufacturer of FRP cable tray, FRP moulded gratings, FRP pultruded gratings FRP pultruded section and FRP poles. Apart from mastering engineering, they have always strived to deliver sustainable and sustainable solutions to their clients. They have worked on vital projects in various industries like Pharmaceuticals, Chemicals, Construction, Plastics and Textiles.

Fiber-reinforced polymers are a category of composite plastics that solves the problem of corrosion and are specifically used to improve the strength and durability of the material. In addition, FRP lightens the weight and is renowned for its precision engineering, precision tolerances, and part streamlining both in production and operation.

We endeavor to provide maximum client satisfaction by offering a wide variety of top quality FRP composite. These items are the outcome of the concerted efforts of the employees. From the very beginning, we have placed a premium on quality. Our production processes are monitored by quality analysts, allowing us to offer only the highest quality. Their services enable us to ensure that items match the exact demands of our client. The following parameter are used to test to test goods.

The shipment is located at a distance of 184 km from Mundra Port, India's largest port. The port is well connected and quickly accessible by road, and its geographical proximity and ease of connectivity ensure that a consignment is delivered with the least time delay. Mundra port is served by all the major shipping lines and this gives flexibility in the lines that can be utilized to deliver cargo across the world without any hindrance and on time.

Our manufacturing facility is compliant with internationally recognized standards and ensures that every product contributes to Safety, Quality and efficacy.

The Installation Team is capable of executing the toughest projects at different locations, actively working with the clients to satisfy their organizational needs.

We are continuously working on process optimization along with sharpening workforce skills by conducting personality and efficiency improvement programs also we strive to be in good will with our clients.



FRP LADDER CABLE TRAY

FEATURES:

- CORROSION RESISTANCE
- LOW MAINTANANCE
- FIRE RETARDANT
- HIGH STRENGTH TO WEIGHT RATIO
- ELECTRICAL AND THERMELLY NOT CONDUCTIVE
- LOW INSTALL COST
- LONG SERVICE LIFE
- UV PROTECTION



PART CODE	WIDTH	HIGHT	RUNNER SIZE (MM)			CTC	LENGTH
			W	H	T		
FRPLCT	100	50	50	22	5	250/ 300	2500/ 3000
FRPLCT	100	50	50	25	3/4		
FRPLCT	100	75	75	25	3		
FRPLCT	100	75	75	30	6		
FRPLCT	100	100	100	30	3/6		
FRPLCT	150	50	50	22	5		
FRPLCT	150	50/75	50/75	25	3		
FRPLCT	150	75	75	30	6		
FRPLCT	150	100	100	30	3/4/6		
FRPLCT	150	150	150	40	6		

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP LADDER CABLE TRAY

PART CODE	WIDTH	HIGHT	RUNNER SIZE (MM)			CTC	LENGTH
			W	H	T		
FRPLCT	200	50	50	22	5	250/ 300	2500/ 3000
FRPLCT	200	50/75	50/75	25	3		
FRPLCT	200	100	100	30	3		
FRPLCT	200	75/100	75/100	30	6		
FRPLCT	200	150	150	40	6		
FRPLCT	250	50	50	22	5		
FRPLCT	250	50/75	50/75	25	3		
FRPLCT	250	100	100	30	3		
FRPLCT	250	75/100	75/100	30	6		
FRPLCT	250	150	150	40	6		
FRPLCT	300	50	50	22	5		
FRPLCT	300	50/75	50/75	25	3		
FRPLCT	300	100	100	30	3/4.		
FRPLCT	300	75/100	75/100	30	6		
FRPLCT	300	150	150	40	6		
FRPLCT	350	50	50	22	5		
FRPLCT	350	50/75	50/75	25	3		
FRPLCT	350	100	100	30	3		
FRPLCT	350	75/100	75/100	30	6		

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP LADDER CABLE TRAY

PART CODE	WIDTH	HIGHT	RUNNER SIZE (MM)			CTC	LENGTH
			W	H	T		
FRPLCT	350	150	150	40	6	250/ 300	2500/ 3000
FRPLCT	400	50	50	22	5		
FRPLCT	400	50/75	50/75	25	3		
FRPLCT	400	100	100	30	3		
FRPLCT	400	75/100	75/100	30	6		
FRPLCT	400	150	150	40	6		
FRPLCT	450	50/75	50/75	25	3		
FRPLCT	450	100	100	30	4		
FRPLCT	500	50	50	22	5		
FRPLCT	500	50/75	50/75	25	3		
FRPLCT	500	100	100	30	3		
FRPLCT	500	75/100	75/100	30	6		
FRPLCT	500	150	150	40	6		
FRPLCT	600	50	50	22	5		
FRPLCT	600	50/75	50/75	25	3		
FRPLCT	600	100	100	30	3/4.		
FRPLCT	600	75/100	75/100	30	6		
FRPLCT	600	150	150	40	6		
FRPLCT	700	75	75	25	3		

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP LADDER CABLE TRAY

PART CODE	WIDTH	HIGHT	RUNNER SIZE (MM)			CTC	LENGTH
			W	H	T		
FRPLCT	700	100	100	30	3/4.	250/ 300	2500/ 3000
FRPLCT	800	50	50	22	5		
FRPLCT	800	50/75	50/75	25	3		
FRPLCT	800	100	100	30	3		
FRPLCT	800	75/100	75/100	30	6		
FRPLCT	800	150	150	40	6		
FRPLCT	1000	50	50	22	5		
FRPLCT	1000	50/75	50/75	25	3		
FRPLCT	1000	100	100	30	3/4.		
FRPLCT	1000	75/100	75/100	30	6		
FRPLCT	1000	150	150	40	6		
FRPLCT	1200	50	50	22	5		
FRPLCT	1200	50/75	50/75	25	3		
FRPLCT	1200	100	100	30	3		
FRPLCT	1200	75/100	75/100	30	6		
FRPLCT	1200	150	150	40	6		


NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP PERFORATED CABLE TRAY

FEATURES:

- CORROSION RESISTANCE
- LOW MAINTANANCE
- FIRE RETARDANT
- HIGH STRENGTH TO WEIGHT RATIO
- ELECTRICAL AND THERMELLY NOT CONDUCTIVE
- LOW INSTALL COST
- LONG SERVICE LIFE
- UV PROTECTION



NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP PERFORATED CABLE TRAY

PART CODE	WIDTH	HEIGHT	THICKNESS	LENGTH
FRPPT	50	22	5	2500/3000
FRPPT	50	25	3	
FRPPT	50	50	3/4	
FRPPT	75	25	3	
FRPPT	75	30	6	
FRPPT	100	30	3/4/6	
FRPPT	100	50	3/4	
FRPPT	150	40	6	
FRPPT	150	50	3/4	
FRPPT	150	75	3	
FRPPT	200	50	3/4	
FRPPT	200	75	3/4	
FRPPT	300	50	3/4	
FRPPT	300	75	3/4	
FRPPT	400	50/75	4	
FRPPT	500	50/75	4	
FRPPT	600	50/75	4	


NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP CABLE TRAY COVER

FEATURES:

- CORROSION RESISTANCE
- SLIP RESISTANCE
- LOW MAINTANANCE
- FIRE RETARDANT
- HIGH STRENGTH TO WEIGHT RATIO
- ELECTRICAL AND THERMELLY NOT CONDUCTIVE
- LOW INSTALL COST
- LONG SERVICE LIFE
- UV PROTECTION



PART CODE	WIDTH	HIGHT	THICKNESS	LENGTH
FRPCO	57	20mm	2.5mm	2500/3000
FRPCO	82			
FRPCO	107			
FRPCO	157			
FRPCO	207			
FRPCO	307			
FRPCO	407			
FRPCO	507			
FRPCO	607			

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP FLAT & PEAKED COVER

FEATURES:

- CORROSION RESISTANCE
- SLIP RESISTANCE
- LOW MAINTANANCE
- FIRE RETARDANT
- HIGH STRENGTH TO WEIGHT RATIO
- ELECTRICAL AND THERMELLY NOT CONDUCTIVE
- LOW INSTALL COST
- LONG SERVICE LIFE
- UV PROTECTION



PART CODE	WIDTH	THICKNESS	LENGTH
FRPCO	100	2.5mm & 3mm	2500/3000
FRPCO	150		
FRPCO	200		
FRPCO	250		
FRPCO	300		
FRPCO	350		
FRPCO	400		
FRPCO	450		
FRPCO	500		
FRPCO	600		
FRPCO	700		
FRPCO	800		
FRPCO	1000		
FRPCO	1200		

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP CABLE TRAY ACCESSORIES



FRP LCT OUTSIDE BEND



FRP LCT INSIDE BEND



FRP LCT TEE BEND




FRP LCT 4 WAY




FRP LCT 90 DEGREE BEND




FRP LCT 45 DEGREE BEND



FRP LCT OUTSIDE 45 DEGREE BEND



FRP LCT INSIDE 45 DEGREE BEND




FRP LCT CENTRE REDUCER

NOTE :- Above all sizes are standard, tailor-made size can be manufactured




FRP CABLE TRAY ACCESSORIES




FRP COUPLER PLATE




FRP PCT INSIDE BEND



FRP PCT OUTSIDE BEND



FRP PCT TEE BEND



FRP PCT 4 WAY




FRP PCT HORIZONTAL 90 DEGREE BEND



FRP PCT HORIZONTAL 45 DEGREE BEND



FRP PCT VERTICAL 45 DEGREE OUTSIDE BEND



FRP PCT VERTICAL 45 DEGREE INSIDE BEND

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



FRP CABLE TRAY ACCESSORIES



Cover holds down clamp

SS 304/316



Cable tray hold down clamp

SS 304/316





FASTNER

SS 304/316

NOTE :- Above all sizes are standard, tailor-made size can be manufactured



WE SERVE



NOTE :- Above all sizes are standard, tailor-made size can be manufactured



ARTICAL INDUSTRIES

📍 NEAR HENG XING MOULD, PLOT NO. 9,
VILLAGE JAMBUDIYA, 8-A NATIONAL
HIGHWAY, SURVEY NO. 60, MORBI GUJARAT
363642, INDIA

📞 Mob. +91 6351897916

✉ info@articalindustries.com

🌐 www.articalindustries.com

